

## ICEKING COOLERS-I

FEATURE

- 1.This style, including 10/20/45/75/110qt, 70/110qt with wheels.Compared with the 2015 model, the bottle opener was changed from one to two, and the position of two cup holders on the lid was cancelled. The custom logo of the customer was moved from the upper left of the cover surface to the middle of the cover interior, and the overall impression was more round.
- 2.Rotational-molded technology ensures impact resistance and long-term durability.
- 3.The one-piece seamless structure makes it leak-proof
- 4.The food-grade PE materials used are all non-toxic,UV and corrosion resistant,and stable in hot or cold conditions.
- 5.The thick polyurethane insulation layer gives longer heat retention.
- 6.The boxes are designed to be stackable.

THIS STYLE INCLUDES 20/45/70/75/110QT.



| Size             | Volume |       | External Dimension(in) |       |      |
|------------------|--------|-------|------------------------|-------|------|
|                  | Litre  | Quart | L                      | W     | H    |
| 10QT             | 9.5    | 10    | 17.3                   | 11.4  | 12.5 |
| 20QT             | 18.9   | 20    | 21.1                   | 13.3  | 14.3 |
| 45QT             | 42.6   | 45    | 26.7                   | 16.6  | 16.3 |
| 75QT             | 70.9   | 75    | 33.5                   | 18.2  | 17.9 |
| 110QT            | 104    | 110   | 37.5                   | 19.29 | 19.5 |
| 70QT with wheel  | 66.22  | 70    | 33.3                   | 17.2  | 17.6 |
| 110QT with wheel | 104.06 | 110   | 37.5                   | 19.8  | 19.5 |

| Size             | Internal Dimension(in) |       |      | Weight(kg) |
|------------------|------------------------|-------|------|------------|
|                  | L                      | W     | H    |            |
| 10QT             | 17.3                   | 11.4  | 12.5 | 4.5        |
| 20QT             | 21.1                   | 13.3  | 14.3 | 6.5        |
| 45QT             | 26.7                   | 16.6  | 16.3 | 10.5       |
| 75QT             | 33.5                   | 18.2  | 17.9 | 14.5       |
| 110QT            | 37.5                   | 19.29 | 19.5 | 22.4       |
| 70QT with wheel  | 33.3                   | 17.2  | 17.6 | 16.42      |
| 110QT with wheel | 37.5                   | 19.8  | 19.5 | 22.94      |



## Iceking Coolers

### Cooler Accessories

### Tool box



01  
Divider separates the space inside the cooler box and makes storage function more practical.



02  
The stainless steel lock can also be used as a bottle opener.



03  
Durable sealing gasket ensures excellent leakproofness of the cooler box.



04  
Strong aluminum handle provides comfortable handling for many situations.



05  
New durable latch for easy locking and opening.



06  
The unique design of release valve can help you open the cooler box easily.



07  
Friction pads increases the stability of the cooler box .



08  
Recessed drain plug - helps drain liquid from cooler box easily.

ICEKING COOLERS-II

- FEATURE**
- 1.This style, including 20QT 35QT 45QT 60QT 75QT with wheels.Compared with the 2015 model, the bottle opener was changed from one to two, and the position of two cup holders on the lid was cancelled. The custom logo of the customer was moved from the upper left of the cover surface to the middle of the cover interior, and the overall impression was more round.
  - 2.Rotational-molded technology ensures impact resistance and long-term durability.
  - 3.The one-piece seamless structure makes it leak-proof
  - 4.The food-grade PE materials used are all non-toxic,UV and corrosion resistant,and stable in hot or cold conditions.
  - 5.The thick polyurethane insulation layer gives longer heat retention.
  - 6.The boxes are designed to be stackable.



| Size | Volume |       | External Dimension(in) |      |      |
|------|--------|-------|------------------------|------|------|
|      | Litre  | Quart | L                      | W    | H    |
| 20QT | 18.9   | 20    | 19.1                   | 12.7 | 13.9 |
| 35QT | 33.1   | 35    | 22.4                   | 15.6 | 15.9 |
| 45QT | 42.6   | 45    | 27.0                   | 15.6 | 15.9 |
| 60QT | 56.7   | 60    | 28.2                   | 17.6 | 17.6 |
| 75QT | 70.9   | 75    | 33.9                   | 17.6 | 17.6 |

| Size | Internal Dimension(in) |      |      | Weight(kg) |
|------|------------------------|------|------|------------|
|      | L                      | W    | H    |            |
| 20QT | 14.4                   | 8.1  | 10.4 | 6.5        |
| 35QT | 16.9                   | 11.0 | 12.0 | 11.4       |
| 45QT | 21.5                   | 11.0 | 13.8 | 14.6       |
| 60QT | 22.5                   | 12.2 | 13.7 | 19.5       |
| 75QT | 28.2                   | 12.2 | 13.8 | 24.4       |



## Iceking Coolers

### Cooler Accessories

### Tool box



01  
Divider separates the space inside the cooler box and makes storage function more practical.



02  
The stainless steel lock can also be used as a bottle opener.



03  
Durable sealing gasket ensures excellent leakproofness of the cooler box.



04  
Strong aluminum handle provides comfortable handling for many situations.



05  
New durable latch for easy locking and opening.



06  
The unique design of release valve can help you open the cooler box easily.



07  
Friction pads increases the stability of the cooler box.



08  
Recessed drain plug - helps drain liquid from cooler box easily.

## ICEKING COOLERS-III (2018)

### FEATURE

- 1.Rotational-molded technology ensures impact resistance and long-term durability.
- 2.The one-piece seamless structure makes it leak-proof
- 3.The food-grade PE materials used are all non-toxic,UV and corrosion resistant,and stable in hot or cold conditions.
- 4.The thick polyurethane insulation layer gives longer heat retention.
- 5.The boxes are designed to be stackable.

| Size | Volume |       | External Dimension(in) |      |      | Internal Dimension(in) |     |      |
|------|--------|-------|------------------------|------|------|------------------------|-----|------|
|      | Litre  | Quart | L                      | W    | H    | L                      | W   | H    |
| 20QT | 18.9   | 20    | 22.9                   | 12.4 | 14.4 | 14.4                   | 8.7 | 10.6 |
| 45QT | 42.6   | 45    | 31.7                   | 15.4 | 16.9 | 21.5                   | 1.8 | 12.2 |
| 75QT | 70.9   | 75    | 38                     | 16.6 | 18.5 | 27.9                   | 13  | 13.7 |



20QT



45QT



75QT

## COOLER ACCESSORIES

### Trolley

This trolley is easy to carry Cooler when you carry your kayak on the road or beach .The tube is made from aluminum,kayak can be protected well by strap.




### Basket

The basket can be held on the upper edge of the cooler box, It is useful for keeping things dry and provides more storage .The basket can be installed in cooler boxes of all sizes.



### Cup holder

The cup holder can be hooked onto the side the cooler box,and is easily removed when not needed .The cup holder's is not adjustable, but its size can be customized according to your requirement.



### Chopping board

The chopping board can be put inside of the cooler box .It also can be used as a divider to separate different foods and drinks.



Cushion



Fishing tube



Padlock plate



**Cooler A**

## Tool box

## Tool box

Tool box 80

The image displays two views of a 'Tool box 80'. On the left, the box is closed, showing its exterior with a green and brown camouflage pattern and black latches. On the right, the box is open, revealing a light-colored interior with several rectangular compartments and a central circular hole. The lid is hinged and also features a camouflage pattern.

Tool box 130

Tool box 175

## DESIGN ADVANTAGES OF TOOLBOX

1. The horizontal bar design on the top of the lid and at the bottom of the box can be stacked randomly according to the number and specification of users' actual use requirements, which is convenient for users to transport and manage. The following figure shows several recommended stacking schemes.

2.The cooler safety protection box is designed with a bottle opener with a lock hole. The customer can use this hole to prevent theft according to the requirements for safe use, so as to avoid the loss of items inside.It can be used as a bottle opener or as a bottle opener for beer.

3.The cool safety box is designed with a hidden "high-strength shock absorbing lock", which ensures that the safety box will not damage the products in the box due to the violent vibration and impact caused by the opening of the box cover during the transportation process, dropping and dropping of the box, and the rough express transportation process.

4. Cool safety protective box body is designed with pressure relief valve function to avoid the phenomenon that the box cannot be opened due to pressure difference between the inside and the outside environment due to transportation environment problems or climatic reasons;

5. The design of the optional nameplate identification box for cool safety protection box is provided. Users and customers code and compile the protection box according to different box types for the convenience of integrated management.

6. The bottom part of cool safety protective box is designed with anti-friction convex pad to prevent scratch on the bottom and avoid the bottom during use The friction between part and large area of the ground produces scratches.

